



### OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on December 12, 2012.

**NOV Fiber Glass Systems**  
245 South Los Robles Avenue  
P.O. Box 7007  
Pasadena, CA 91109-7007  
940-569-8607

Facility: Johor, Senai, Malaysia

#### Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
<b>Fittings</b>			
Bondstrand™ S2000M	1" - 40"	CLD 23	TSRE
Bondstrand™ S2410	2" - 40"	CLD 23	TSRE
Bondstrand™ S2410C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2412	2" - 40"	CLD 23	TSRE
Bondstrand™ S2412C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2414	2" - 40"	CLD 23	TSRE
Bondstrand™ S2414C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2416	2" - 40"	CLD 23	TSRE
Bondstrand™ S2416C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2420	2" - 40"	CLD 23	TSRE
Bondstrand™ S2420C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2425	2" - 40"	CLD 23	TSRE
Bondstrand™ S2425C	2" - 40"	CLD 23	TSRE
Bondstrand™ S7000M	1" - 40"	CLD 23	TSRE
<b>Pipe</b>			
Bondstrand™ S2000M	1" - 40"	CLD 23	TSRE
Bondstrand™ S2400	2" - 40"	CLD 23	TSRE
Bondstrand™ S2410	2" - 40"	CLD 23	TSRE
Bondstrand™ S2410C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2412	2" - 40"	CLD 23	TSRE
Bondstrand™ S2412C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2414	2" - 40"	CLD 23	TSRE
Bondstrand™ S2414C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2416	2" - 40"	CLD 23	TSRE
Bondstrand™ S2416C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2420C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2425	2" - 40"	CLD 23	TSRE
Bondstrand™ S2425C	2" - 40"	CLD 23	TSRE
Bondstrand™ S7000M	1" - 40"	CLD 23	TSRE

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



NOTE: Only products bearing the NSF Mark are Certified.

Facility: Singapore

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
<b>Fittings</b>			
Bondstrand™ S2000M	1" - 40"	CLD 23	TSRE
Bondstrand™ S2410	2" - 40"	CLD 23	TSRE
Bondstrand™ S2410C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2412	2" - 40"	CLD 23	TSRE
Bondstrand™ S2412C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2414	2" - 40"	CLD 23	TSRE
Bondstrand™ S2414C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2416	2" - 40"	CLD 23	TSRE
Bondstrand™ S2416C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2420	2" - 40"	CLD 23	TSRE
Bondstrand™ S2420C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2425	2" - 40"	CLD 23	TSRE
Bondstrand™ S2425C	2" - 40"	CLD 23	TSRE
Bondstrand™ S7000M	1" - 40"	CLD 23	TSRE
<b>Pipe</b>			
Bondstrand™ S2000M	1" - 40"	CLD 23	TSRE
Bondstrand™ S2410	2" - 40"	CLD 23	TSRE
Bondstrand™ S2410C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2412	2" - 40"	CLD 23	TSRE
Bondstrand™ S2412C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2414	2" - 40"	CLD 23	TSRE
Bondstrand™ S2414C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2416	2" - 40"	CLD 23	TSRE
Bondstrand™ S2416C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2420	2" - 40"	CLD 23	TSRE
Bondstrand™ S2420C	2" - 40"	CLD 23	TSRE
Bondstrand™ S2425	2" - 40"	CLD 23	TSRE
Bondstrand™ S2425C	2" - 40"	CLD 23	TSRE
Bondstrand™ S7000M	1" - 40"	CLD 23	TSRE

NOTE: Only products bearing the NSF Mark are Certified.

Facility: Burkburnett, TX

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
<b>Fittings</b>			
Bondstrand™ RPMP Fittings	>= 8"	CLD 23	MLTPL
Bondstrand™ Series 2000/4000 <sup>[1]</sup>	1" - 16"	C. HOT	EPOXY
Bondstrand™ Series 3000A <sup>[1]</sup>	2" - 6"	C. HOT	EPOXY

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Pronto Lock Couplings II <sup>[1]</sup>	8" - 16"	CLD 23 EPOXY
<b>Pipe</b>		
Bondstrand™ Series 2000 <sup>[1]</sup>	1" - 16"	C. HOT TSRE
Bondstrand™ Series 2000M <sup>[1]</sup>	1" - 16"	C. HOT TSRE
Bondstrand™ Series 3000A <sup>[1]</sup>	2" - 6"	C. HOT TSRE
Bondstrand™ Series 3000A/3200A <sup>[1]</sup>	8" - 16"	CLD 23 EPOXY

[1] Only Listed products bearing the NSF Mark are Certified. Certification includes the use of Ameron's PSX™ 34 Adhesive system (resin & hardner).

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.