



Marine & Offshore

Certificate number: 24778/B0 BV

File number: ACM 153/1022/01

Product code: 1533H

This certificate is not valid when presented without the full attached schedule composed of 7 sections

www.veristar.com

TYPE APPROVAL CERTIFICATE

This certificate is issued to

NOV FGS MALAYSIA SDN BHD

JOHOR - MALAYSIA

for the type of product

WATERTIGHT CABLE/PIPE BULKHEAD/DECK PENETRATION DEVICES

GRE Bulkhead Penetration Pieces

Requirements:

- BUREAU VERITAS Rules for the Classification of Steel Ships
- BUREAU VERITAS Rules for the Classification of Offshore Units

This certificate is issued to attest that Bureau Veritas Marine & Offshore did undertake the relevant approval procedures for the product identified above which was found to comply with the relevant requirements mentioned above.

This certificate will expire on: 15 Nov 2022

For Bureau Veritas Marine & Offshore,

At BV KUALA LUMPUR, on 15 Nov 2017,

Myra Idora Mohd Ali



This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with and the product remains satisfactory in service. This certificate will not be valid if the applicant makes any changes or modifications to the approved product, which have not been notified to, and agreed in writing with Bureau Veritas Marine & Offshore. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/they being placed on board vessels to which the amended regulations or standards apply. This certificate is issued within the scope of the General Conditions of Bureau Veritas Marine & Offshore available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas Marine & Offshore for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

The electronic version is available at: <http://www.veristarm.com/veristarnb/jsp/viewPublicPdfTypepec.jsp?id=ys0xgpwkw>

BV Mod. Ad.E 530 June 2017

This certificate consists of 3 page(s)

THE SCHEDULE OF APPROVAL

1. PRODUCT DESCRIPTION

GRE Bulkhead Penetration Pieces

1.1 Description

- The GRE pipe is cast into the bulkhead by means of an epoxy grouting providing a watertight penetration.
- Consists of sleeve pipe with pooring/ventilation holes, rubber ring at each end and a Bondstrand pipe
- Non-conductive

1.2 Product range and rating

| | |
|--------------------------------------|------------------------|
| Nominal Pipe size (inch / mm) | 1" to 40" / 25 to 1000 |
| Min. sleeve length +/-2 (mm) | From 187 to 523 |
| Min. wall thickness sleeve pipe (mm) | From 15 to 25 |
| Design Internal Pressure (bar) | 17.2 |
| Design External Pressure (bar) | 4 |
| Design Temperature (°C) | 0 to 93 |

1.3 Raw material

| | |
|------------------------------|-------------------|
| Pipes and flanges * | GRE |
| Saddle blank | GRE |
| Resin filler | Epoxy resin |
| O-ring | Buna N, shore A70 |
| Penetration sleeve and plate | Mild steel |

* To be of Bondstrand Series type-approved by Bureau Veritas: TAC 07797/D3, 15708/C1, 31288/A4, 31289/A4, 07795/D3, 31290/A3, 15710/C1.

2. DOCUMENTS AND DRAWINGS

- Bondstrand product data FP 935 04/05
- Technical Bulletin # 659F of Chockfast Orange
- Technical Bulletin # 646D of Phillybond Orange
- Material Safety Data Sheet of Chockfast Orange Parts N° 1010H and N° 1010R
- Material Safety Data Sheet of Phillybond Orange Parts N° 3280H and N° 3280R
- Table N° 69 rev. 11 (1/2 and 2/2) dated 13/06/2017: Design for GRE Bulkhead Penetrations from 1" to 40"
- N° PF-32A rev. 1 dated 02/05/2017: Assembly Instruction for GRE Bulkhead Penetration Spool
- N° TEST- 1" BHD - 2 rev. 0, N° Class A60-02 24" rev. 1 and N° TEST- 40" BHD - 2 rev. 0 Testing Procedures
- N° INS-009B rev. 0 GRE Bulkhead Penetration Installation

No departure from the above documents shall be made without the prior consent of the Society. The manufacturer must inform the Society of any modification or changes to these documents and drawings.

3. TEST REPORTS

- Tests carried out: Internal Pressure test at 26 bar, hold for 15 min. External Pressure test, left and right side, max. 12 bar.
- Pressure testing (1", 24" and 40") witnessed by BV surveyor.
- BV Attestations (1", 24" and 40") N° 390SGP111, N° 390SGP112 and N° 390SGP113 dated 15/08/2011.
- Test reports (1", 24" and 40") Doc. N° E051-11(S)(1), Doc. N° E051-11(S)(2) and Doc. N° E065-11(M)(1) dated 03/08/2011.

4. APPLICATION / LIMITATION

4.1 NOV FGS GRE bulkhead penetration pieces are approved for pipes and flanges of Bondstrand Series type-approved by the Society with a diameter range from 1" to 40" through watertight bulkheads and decks.

4.2 The resistance of the bulkhead is not to be impaired by the bulkhead penetration.

4.3 Where the bulkhead is required to have specific fire integrity characteristics, arrangements are to be made to maintain the fire integrity of the bulkhead in way of the penetration.

4.4 The installation on board is to be carried out in compliance with manufacturer's assembly instructions and Society's Rules requirements.

4.5 The installation on board is to be approved on a case by case basis and is to be carried out in compliance with manufacturer's assembly instructions.

5. PRODUCTION SURVEY REQUIREMENTS

5.1 The products are to be supplied by **NOV FGS MALAYSIA SDN BHD** in compliance with the type described in this certificate.

5.2 This type of product is within the category HBV of Bureau Veritas Rule Note NR320 and as such does not require a BV product certificate.

5.3 **NOV FGS MALAYSIA SDN BHD** has to make the necessary arrangements to have its works recognised by Bureau Veritas in compliance with the requirements of NR320 for HBV products.

For information, **NOV FGS MALAYSIA SDN BHD** has declared to Bureau Veritas the following production sites:

- **NOV FGS MALAYSIA SDN BHD: Plo 202 Senai Industrial Park Phase IV, 81400, Senai - Johor, MALAYSIA**
- **Fiber Glass Systems (Qingdao) Composite Piping Co., Ltd.: No1 Fen He Road., Jiao Zhou Economic & Technological Development Zone, Jiao Zhou, Qingdao, Shandong, QINGDAO, CHINA**
- **NOV FGS MALAYSIA SDN BHD: Plo 79, Jalan Rumbia 2, Kawasan Perindustrian Tanjung, Langsat, 81700 Pasir Gudang-Johor, MALAYSIA**

6. MARKING OF PRODUCT

The product or packing is to be permanently marked with at least:

- Manufacturer name or trade mark
- Design pressure
- Materials
- Type, designation

7. OTHERS

It is **NOV FGS MALAYSIA SDN BHD**'s responsibility to inform shipbuilders or their sub-contractors of the proper methods of fitting, use and general maintenance of the approved equipment and the conditions of this approval.

This certificate supersedes the Type Approval Certificate N° 24778/A2 BV issued by the Society.

***** END OF CERTIFICATE *****